



2620, 1500, 1579, 1590

2-

Closed Seal

1	...	3
1.1		3
1.1.1	Mono	4
1.2		4
1.3		6
1.3.1	-	6
1.3.2	,	6
1.3.3		6
1.3.4	-	6
1.4		7
2		7
3		7
4		8
4.1		8
4.2		8
4.3		9
4.4		9
4.4.1		9
4.4.2		10
5		11
6		11
7		11
8		12
8.1		12
8.2		12
8.3		13
9		13
9.1		13
9.2		15
10		15
10.1		15
10.2		15
11		16

1

...

Deublin.

Deublin,

Deublin.

«Deublin»

/

www.deublin.eu.


1.1

2620, 1500, 1579 1590

2620	•	•	•	
1500			•	•
1579		•		
1590			•	

1.1.1

Mono



. 1:

1.2

2620, 1500, 1579 1590

2620, 1500, 1579 1590

□

□

« » ()

()

□

□

(),

□

□

□

□

4.5.

□

(. ,) .

1.3

1.3.1

1.3.2

1.3.3

1.3.4

, -
 .
 -
 , -
 , / / , -
 / .
 ,
 .
 .
 -
 , , , , ,
 SAE.
 ,
 .
 (15°),
 .
 (-
), ,
 .
 , .

1.4



2

Deublin.

-
-

www.deublin.eu

3



DEUBLIN /

MADE IN << >>

. 2:

4



Deublin

-
-
-

4.1

60 μ

- 5 ISO 4406:2017, 17/15/12
- 6 NAS 1638

ISO 16889:2008,

60 μ



-

60 μ

4.2

Deublin
 ISO 8573-1:2010 [6:4:4].

[/ ³]	[C°]	[/ ³]
0 < Cp 5	+3	5

4.3



. 3:



Deublin,

4.4



».


«1.3

4.4.1



. 4:


4.4.2




Deublin.

.5:

4.5



.6:



.7:

« 6 » ()
(15°)
()
(1) (2).
(2) (1)
(X).

5

www.deublin.eu



:

-

-

-

-

)

-

6



7



3 °C 40 °C.



8

8.1

Deublin.




8.2



-
-



-
-




. 8:

- 1.
- 2.
- 3.
- 4.

Deublin

8.3



. 9:

, , -
: 1 (4-5
>3.000 -1 1)

9

- 1.
- 2.
- 3.

? :



9.1



-
-

-	1.	.
-	2.	-
	« ».	
	3.	.
	4.	,
		.
-	1.	.
-	2.	-
-		/
		Deublin.
-		
:	1.	.
	2.	.
	3.	,
		,
		.
:	1.	.
-	2.	.
-	3.	,
	(.)	-
-	1.	.
	2.	.
	3.	.
-		/
		Deublin.
	4.	.
	5.	.
	6.	.
-	7.	,
-	(Deublin,)	.
	8.	.
	Deublin.	
-	1.	.
	2.	.
/	- 3.	/
	4.	.

9.2

Deublin -

1. (. ,) -
2. , . -
3. , . -
4. , , -
5. , , -
6. , -
7. -
8. -
9. -

10

10.1

- (,) -
- , , -

10.2

- / ' -
- (. ,) -
-
-
-
- , , -
- , -
-

Deublin .

11

-
-
.
-
/ ,
Deublin.
□ /
Deublin.
i , ,
Deublin ,
-
-
-
« Deublin»,

12

