



CONFIDENTIAL  
 THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF DEUBLIN COMPANY. COPYING, USE, TRANSMISSION, DISTRIBUTION, AND DISCLOSURE ARE SUBJECT TO THE TERMS AND CONDITIONS CONTAINED IN YOUR AGREEMENT WITH DEUBLIN COMPANY. ALL RIGHTS RESERVED.



**OPERATING DATA:**

COOLANT SERVICE  
 1000 PSI (70bar) MAX. PRESSURE\*  
 10000 RPM (10000/min) MAX. SPEED\*  
 250°F (121°C) MAX. TEMPERATURE  
 RECOMMENDED FILTRATION = 25 MICRONS

\*OPERATION AT MAXIMUM PRESSURE COMBINED WITH MAXIMUM SPEED SHOULD BE AVOIDED.  
 IF OPERATING CONDITIONS ARE MARGINAL PLEASE CONSULT DEUBLIN ENGINEERING DEPT.

SCALE	2:1	DWG SIZE		UNLESS SPECIFICALLY TOLERANCED, ALL DIMENSIONS ARE REFERENCE	 <b>DEUBLIN</b> COMPANY WAUKEGAN, ILLINOIS, U.S.A. TITLE: INTERFACE CONTROL DRAWING OF DEUBLIN UNION 1116-050-463 DWG NO. 1116-050-463 C.A.D DRAWING
DRN	NR	07/29/09			
ENGR	SS	07/29/09			
APPD	SS	07/29/09			
PART NO.	1116-050-463			DIMENSIONS IN [ ] ARE IN MILLIMETERS.	
CUSTOMER					
LET.	REVISION	ECO	DATE	SIGN	